




## **COACH SCREW MAKING PLANT**

(Automatic, High Speed)

- (a) Automatic High Speed Double Stroke Cold Heading Machines
- (b) Automatic Bolt Head Trimming and Shank Reducing Machines
- (c) Automatic Thread Cutting Machines

## DOUBLE STROKE COLD HEADING MACHINE (Automatic, High Speed)



#### **FEATURES**

- These cold heading machines are fully automatic and easy to operate with little training, fitted with Solid
  Die to produce blank for Bolts, Screws, Rivets and other similar components. Cut off and knock out
  mechanism have safely devices that will stop any major accident if any abnormal function occurs in
  machines.
- A positive knock out provision had been made on the 1st and 2nd punches to eliminate the possibility of parts sticking to these punches during the operations. The maximum parts of the machines are ground and all the Cames and Rollers from H.C.H.C. (Hardened & Ground).
- On some extra charges machines will be equipped with Pneumatic Clutch & Automatic Centralized Lubrications systems which provides sufficient quantity lubricating to all bearing surface.

#### **SPECIFICATION**

Item Code No.	Length of Screw	Dia. of Screw	Production Per Minute	Motor H.P.
ABM-FM-6530	1" to 4"	1/4" to 3/8"	60 Pcs.	7.5





# BOLT HEAD TRIMMING AND SHANK REDUCING MACHINES (Automatic, High Speed)



#### **FEATURES**

**ABM Tools** Automatic Bolt head Trimmers are extra exclusive in their transport system. One of the Special features is that bolts with extreme short shank length can be transported without any difficulty. It makes **ABM TOOLS** Trimmer the fastest in the market.

The simplicity of the tooling increases the efficiency considerably and cuts down on set up time.

The machine is well known **ABM TOOLS** quality which stands for excellent workmanship and superior design.

#### **ESSENTIAL FEATURES**

Machine design is very simple. All working parts & gears are enclosed as possible. Speed can be changed by motor pulley. Automatic feed with efficient drum type hopper of high capacity.

Bolts are transferred by finger from feed rails to trimming die. All adjustments are easy operated and simple. Vibrator Hopper for odd components (optional)

- Fastest machine on the Market
- Sophisticated Transport System
- Rugged design
- One operator for upto 4 machines
- Fine Stroke adjustment

#### **SPECIFICATION**

Item Code No.	Length of Screw	Dia. of Screw	Production Per Minute	Motor H.P. & R.P.M.
ABM-FM-6423	4" (25 mm - 100 mm)	1/2" (8 mm - 12 mm)	60 - 65 Pcs.	10 x 1400





## THREAD CUTTING MACHINES (Automatic)



#### **FEATURES**

A Thread Cutting Machine job is to cut thread on blank of screws. The slotted blanks are placed in a hopper at top from which automatic slide down with the aid of feeder. A picker hold each blank one by one and feed into a chuck and tool cut thread on the blank and threaded screws talls down in a receptable.

#### **SPECIFICATION**

Item Code No.	Length of Screw	Wire Size S.W.G.	Production Per Minute	Motor H.P. & R.P.M.
ABM-FM-6513	1/2" - 4"	8 - 0 S.W.G	4 - 6 Pcs.	1.5 x 1440

All Specifications are subject to change towards improvements without any prior notice. Manufactured by ABM Fasteners (India) and Export Marketing by ABM Tools



Postal Address : 79A, Pocket GG-1, Vikas Puri, New Delhi – 110018, India Mobile / Whatsapp : +91 98910 27608 / +91 98712 63436 / + 91 98910 44387

Telephone +91 11 2854 6891 / +91-11-2854 0898

www.abmtools.com www.abmfasteners.com

e-mail: abmtools@gmail.com sales@abmfasteners.com

WEBSITE OR CODE



VIDEO QR CODE

